10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Peroxiredoxin 2 Rabbit mAb

Catalog # AP75894

Product Information

Application	WB, IHC-P, FC
Primary Accession	P32119
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	21892

Additional Information

Gene ID	7001
Other Names	PRDX2
Dilution	WB~~1:1000-1:5000 IHC-P~~N/A FC~~1:200-1:1000
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information


Name	PRDX2
Synonyms	NKEFB, TDPX1
Function	Thiol-specific peroxidase that catalyzes the reduction of hydrogen peroxide and organic hydroperoxides to water and alcohols, respectively. Plays a role in cell protection against oxidative stress by detoxifying peroxides and as sensor of hydrogen peroxide-mediated signaling events. Might participate in the signaling cascades of growth factors and tumor necrosis factor-alpha by regulating the intracellular concentrations of H(2)O(2).
Cellular Location	Cytoplasm.

Background


This gene encodes a member of the peroxiredoxin family of antioxidant enzymes, which reduce hydrogen

peroxide and alkyl hydroperoxides. The encoded protein may play an antioxidant protective role in cells, and may contribute to the antiviral activity of CD8(+) T-cells. This protein may have a proliferative effect and play a role in cancer development or progression.


Images




Western blot analysis of Peroxiredoxin 2/PRP in K562 lysates using Peroxiredoxin 2 antibody.



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using Peroxiredoxin 2 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.