

# PUMA Rabbit mAb

Catalog # AP75977

## Product Information

---

<b>Application</b>	WB, IHC-P, IHC-F, ICC
<b>Primary Accession</b>	<a href="#">Q9BXH1</a>
<b>Reactivity</b>	Human, Mouse, Rat
<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal Antibody
<b>Calculated MW</b>	20532

## Additional Information

---

<b>Gene ID</b>	27113
<b>Other Names</b>	BBC3
<b>Dilution</b>	WB~~1/500-1/1000 IHC-P~~N/A IHC-F~~N/A ICC~~N/A
<b>Format</b>	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.





## Protein Information

---

<b>Name</b>	BBC3
<b>Synonyms</b>	PUMA
<b>Function</b>	Essential mediator of p53/TP53-dependent and p53/TP53- independent apoptosis (PubMed: <a href="#">11463391</a> , PubMed: <a href="#">23340338</a> ). Promotes partial unfolding of BCL2L1 and dissociation of BCL2L1 from p53/TP53, releasing the bound p53/TP53 to induce apoptosis (PubMed: <a href="#">23340338</a> ). Regulates ER stress-induced neuronal apoptosis (By similarity).
<b>Cellular Location</b>	Mitochondrion Note=Localized to the mitochondria in order to induce cytochrome c release
<b>Tissue Location</b>	Ubiquitously expressed.

## Images

---



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.