

Rab7B Rabbit mAb

Catalog # AP75990

Product Information

Application WB
Primary Accession Q96AH8
Reactivity Human
Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 22511

Additional Information

Gene ID 338382

Other Names RAB7B

Dilution WB~~1/500-1/1000

Format Liquid

Protein Information

Name RAB7B

Function Controls vesicular trafficking from endosomes to the trans- Golgi network

(TGN). Acts as a negative regulator of TLR9 signaling and can suppress TLR9-triggered TNFA, IL6, and IFNB production in macrophages by promoting TLR9 lysosomal degradation. Also negatively regulates TLR4 signaling in macrophages by promoting lysosomal degradation of TLR4. Promotes megakaryocytic differentiation by increasing NF-kappa-B-dependent IL6 production and subsequently enhancing the association of STAT3 with GATA1. Not involved in the regulation of the EGF- and EGFR degradation pathway.

Cellular Location Late endosome. Lysosome Golgi apparatus. Golgi apparatus, trans- Golgi


network. Cytoplasmic vesicle, phagosome. Cytoplasmic vesicle, phagosome membrane; Lipid-anchor; Cytoplasmic side. Note=Recruited to phagosomes

containing S.aureus or M.tuberculosis.

Tissue Location Expressed in heart, placenta, lung, skeletal muscle and peripheral blood

leukocyte.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.