

[KO]Thyroid Transcription Factor 1 Rabbit mAb

Catalog # AP76213

Product Information

Application	WB, IHC-P, FC
Primary Accession	P43699
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	38596

Additional Information

Gene ID	7080
Other Names	NKX2-1
Dilution	WB~~1:1000-1:8000 IHC-P~~N/A FC~~1:50-1:100
Format	1xPBS(pH 7.4), 150mM NaCl, 50% Glycerol, 0.02% Sodium azide and 0.05% BSA
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Protein Information

Name	NKX2-1 (HGNC:11825)
Synonyms	NKX2A, TITF1, TTF1
Function	Transcription factor that binds and activates the promoter of thyroid specific genes such as thyroglobulin, thyroperoxidase, and thyrotropin receptor. Crucial in the maintenance of the thyroid differentiation phenotype. May play a role in lung development and surfactant homeostasis. Forms a regulatory loop with GRHL2 that coordinates lung epithelial cell morphogenesis and differentiation. Activates the transcription of GNRHR and plays a role in enhancing the circadian oscillation of its gene expression. Represses the transcription of the circadian transcriptional repressor NR1D1 (By similarity).
Cellular Location	Nucleus {ECO:0000250 UniProtKB:P50220}.
Tissue Location	Thyroid and lung.


Background

This gene encodes a protein initially identified as a thyroid-specific transcription factor. The encoded protein binds to the thyroglobulin promoter and regulates the expression of thyroid-specific genes but has also been shown to regulate the expression of genes involved in morphogenesis. Mutations and deletions in this gene are associated with benign hereditary chorea, choreoathetosis, congenital hypothyroidism, and neonatal respiratory distress, and may be associated with thyroid cancer.


Images



Western blot analysis of Thyroid Transcription Factor 1 in HeLa(WT) and Thyroid Transcription Factor 1-Knockout HeLa(KO) using Thyroid Transcription Factor 1 antibody.




Western blot analysis of TTF1 in rat brain lysates using Thyroid Transcription Factor 1 antibody.



Western blot analysis of TTF1 in 3T3 lysates using TTF1 antibody.

Immunohistochemistry analysis of paraffin-embedded Human lung cancer using TTF1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.