

UFC1 Rabbit mAb

Catalog # AP76228

Product Information

Application	WB, IHC-P
Primary Accession	Q9Y3C8
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	19458

Additional Information

Gene ID	51506
Other Names	UFC1
Dilution	WB~~1:1000-1:5000 IHC-P~~N/A
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Protein Information

Name	UFC1 {ECO:0000303 PubMed:15071506, ECO:0000312 HGNC:HGNC:26941}
Function	E2-like enzyme which specifically catalyzes the second step in ufmylation (PubMed: 15071506 , PubMed: 29868776 , PubMed: 30626644 , PubMed: 34588452 , PubMed: 35394863 , PubMed: 36121123 , PubMed: 38383789). Accepts the ubiquitin-like modifier UFM1 from the E1 enzyme UBA5 and forms an intermediate with UFM1 via a thioester linkage (PubMed: 15071506 , PubMed: 29868776 , PubMed: 34588452 , PubMed: 38383789). Ufmylation is involved in various processes, such as ribosome recycling, response to DNA damage, interferon response or reticulophagy (also called ER-phagy) (PubMed: 27351204 , PubMed: 32160526 , PubMed: 35394863 , PubMed: 37036982 , PubMed: 38383789).


Background

E2-like enzyme which forms an intermediate with UFM1 via a thioester linkage.

Images



Western blot analysis of UFC1 in K562, rat Brain, C6, 3T3 lysates using UFC1 antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using UFC1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.