

SF3A3 Rabbit mAb

Catalog # AP76286

Product Information

Application WB
Primary Accession Q12874

Reactivity Human, Mouse, Rat, Hamster

Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 58849

Additional Information

Gene ID 10946

Other Names SF3A3

Dilution WB~~1/500-1/1000

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name SF3A3

Synonyms SAP61

Function Component of the 17S U2 SnRNP complex of the spliceosome, a large

ribonucleoprotein complex that removes introns from transcribed pre-mRNAs

(PubMed: 10882114, PubMed: 11533230, PubMed: 32494006,

PubMed:34822310, PubMed:8022796). The 17S U2 SnRNP complex (1) directly participates in early spliceosome assembly and (2) mediates recognition of the intron branch site during pre-mRNA splicing by promoting the selection of the pre-mRNA branch-site adenosine, the nucleophile for the first step of splicing (PubMed:10882114, PubMed:11533230, PubMed:32494006,

PubMed:34822310). Within the 17S U2 SnRNP complex, SF3A3 is part of the SF3A subcomplex that contributes to the assembly of the 17S U2 snRNP, and the subsequent assembly of the pre-spliceosome 'E' complex and the

pre-catalytic spliceosome 'A' complex (PubMed: 10882114,

PubMed: 11533230). Involved in pre-mRNA splicing as a component of


pre-catalytic spliceosome 'B' complexes (PubMed: 29360106,


PubMed:30315277).

Cellular Location Nucleus speckle. Nucleus

Tissue Location Ubiquitous..

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.