

Hex Rabbit mAb

Catalog # AP76293

Product Information

Application	WB, IP
Primary Accession	Q03014
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	30022

Additional Information

Gene ID	3087
Other Names	HHEX
Dilution	WB~~1:500-1:1000 IP~~1:20-1:50
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Protein Information

Name	HHEX
Synonyms	HEX, PRH, PRHX
Function	Recognizes the DNA sequence 5'-ATTAA-3' (By similarity). Transcriptional repressor (By similarity). Activator of WNT-mediated transcription in conjunction with CTNNB1 (PubMed: 20028982). Establishes anterior identity at two levels; acts early to enhance canonical WNT- signaling by repressing expression of TLE4, and acts later to inhibit NODAL-signaling by directly targeting NODAL (By similarity). Inhibits EIF4E-mediated mRNA nuclear export (PubMed: 12554669). May play a role in hematopoietic differentiation (PubMed: 8096636).
Cellular Location	Nucleus {ECO:0000250 UniProtKB:P43120}. Nucleus, nuclear body. Cytoplasm
Tissue Location	Liver and promyelocytic leukemia cell line HL-60.


Background

Recognizes the DNA sequence 5'-ATTAA-3'. Transcriptional repressor. May play a role in hematopoietic differentiation. Establishes anterior identity at two levels; acts early to enhance canonical WNT-signaling by repressing expression of TLE4, and acts later to inhibit NODAL-signaling by directly targeting NODAL.

Images



Western blot analysis of Hex in Jurkat, HeLa lysates using Hex antibody.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.