

Phospholipase C gamma 1 Rabbit mAb

Catalog # AP76655

Product Information

ApplicationWB, IP, ICCPrimary AccessionP19174ReactivityHuman, RatHostRabbit

Clonality Monoclonal Antibody

Calculated MW 148532

Additional Information

Gene ID 5335

Other Names PLCG1

Dilution WB~~1/500-1/1000 IP~~N/A ICC~~N/A

Format Liquid

Protein Information

Name PLCG1 (HGNC:9065)

Synonyms PLC1

Function Mediates the production of the second messenger molecules diacylglycerol

(DAG) and inositol 1,4,5-trisphosphate (IP3). Plays an important role in the regulation of intracellular signaling cascades. Becomes activated in response to ligand-mediated activation of receptor-type tyrosine kinases, such as PDGFRA, PDGFRB, EGFR, FGFR1, FGFR2, FGFR3 and FGFR4 (By similarity). Plays a role in actin reorganization and cell migration (PubMed:17229814). Guanine nucleotide exchange factor that binds the GTPase DNM1 and catalyzes the dissociation of GDP, allowing a GTP molecule to bind in its place, therefore


enhancing DNM1-dependent endocytosis (By similarity).


Cellular Location Cell projection, lamellipodium. Cell projection, ruffle. Note=Rapidly

redistributed to ruffles and lamellipodia structures in response to epidermal

growth factor (EGF) treatment.

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.