

# Klotho Rabbit mAb

Catalog # AP76812

## Product Information

<b>Application</b>	WB, IHC-P
<b>Primary Accession</b>	<a href="#">Q9UEF7</a>
<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal Antibody
<b>Calculated MW</b>	116181

## Additional Information

<b>Gene ID</b>	9365
<b>Other Names</b>	KL
<b>Dilution</b>	WB~~1:1000 IHC-P~~N/A
<b>Format</b>	Liquid

## Protein Information

<b>Name</b>	KL
<b>Function</b>	May have weak glycosidase activity towards glucuronylated steroids. However, it lacks essential active site Glu residues at positions 239 and 872, suggesting it may be inactive as a glycosidase in vivo. May be involved in the regulation of calcium and phosphorus homeostasis by inhibiting the synthesis of active vitamin D (By similarity). Essential factor for the specific interaction between FGF23 and FGFR1 (By similarity).
<b>Cellular Location</b>	[Isoform 1]: Cell membrane; Single-pass type I membrane protein. Apical cell membrane {ECO:0000250 UniProtKB:O35082}; Single-pass type I membrane protein {ECO:0000250 UniProtKB:O35082}. Note=Isoform 1 shedding leads to a soluble peptide. {ECO:0000250 UniProtKB:O35082} [Klotho peptide]: Secreted {ECO:0000250 UniProtKB:O35082}
<b>Tissue Location</b>	Present in cortical renal tubules (at protein level). Soluble peptide is present in serum and cerebrospinal fluid Expressed in kidney, placenta, small intestine and prostate. Down- regulated in renal cell carcinomas, hepatocellular carcinomas, and in chronic renal failure kidney.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.