

NR0B1 Rabbit mAb

Catalog # AP77147

Product Information

| | |
|--------------------------|------------------------|
| Application | WB, IHC-P, IF, FC, ICC |
| Primary Accession | P51843 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Monoclonal Antibody |
| Calculated MW | 51718 |


Additional Information

| | |
|--------------------|---|
| Gene ID | 190 |
| Other Names | NR0B1 |
| Dilution | WB~~1/500-1/1000 IHC-P~~N/A IF~~1:50~200 FC~~1:10~50 ICC~~N/A |
| Format | Liquid |

Protein Information

| | |
|--------------------------|--|
| Name | NR0B1 |
| Synonyms | AHC, DAX1 {ECO:0000303 PubMed:26416531} |
| Function | <p>Nuclear receptor that lacks a DNA-binding domain and acts as a corepressor that inhibits the transcriptional activity of other nuclear receptors through heterodimeric interactions (PubMed:12482977, PubMed:32433991).</p> <p>Component of a cascade required for the development of the hypothalamic-pituitary-adrenal-gonadal axis (PubMed:7990953, PubMed:8675564). May also have a role in the development of the embryo and in the maintenance of embryonic stem cell pluripotency (By similarity).</p> |
| Cellular Location | Nucleus. Cytoplasm. Note=Shuttles between the cytoplasm and nucleus. Homodimers exits in the cytoplasm and in the nucleus |

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.