

Cytokeratin 17 Rabbit mAb

Catalog # AP77334

Product Information

Application WB, IHC-P, FC, ICC

Primary Accession Q04695

Reactivity Human, Mouse, Rat

Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 48106

Additional Information

Gene ID 3872

Other Names KRT17

Dilution WB~~1/500-1/1000 IHC-P~~N/A FC~~1:10~50 ICC~~N/A

Format Liquid

Protein Information

Name KRT17

Function Type I keratin involved in the formation and maintenance of various skin

appendages, specifically in determining shape and orientation of hair (By similarity). Required for the correct growth of hair follicles, in particular for the persistence of the anagen (growth) state (By similarity). Modulates the function of TNF-alpha in the specific context of hair cycling. Regulates protein synthesis and epithelial cell growth through binding to the adapter protein SFN and by stimulating Akt/mTOR pathway (By similarity). Involved in tissue repair. May be a marker of basal cell differentiation in complex epithelia and therefore indicative of a certain type of epithelial 'stem cells'. Acts as a promoter of epithelial proliferation by acting a regulator of immune response in skin: promotes Th1/Th17-dominated immune environment contributing to the development of basaloid skin tumors (By similarity). May act as an autoantigen in the immunopathogenesis of psoriasis, with certain peptide regions being a major target for autoreactive T-cells and hence causing their


proliferation.


Cytoplasm {ECO:0000250 | UniProtKB:Q9QWL7}.


Tissue Location Expressed in the outer root sheath and medulla region of hair follicle

specifically from eyebrow and beard, digital pulp, nail matrix and nail bed epithelium, mucosal stratified squamous epithelia and in basal cells of oral epithelium, palmoplantar epidermis and sweat and mammary glands. Also

Images







Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.