

Transferrin Rabbit mAb

Catalog # AP77345

Product Information

Application WB, IHC-P, FC **Primary Accession** P02787

Reactivity Rat, Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Isotype IgG

Conjugate Unconjugated

Immunogen A synthesized peptide derived from human Transferrin

Purification Affinity Chromatography

Calculated MW 77064

Additional Information

Gene ID 7018

Other Names TF

Dilution WB~~1/500-1/1000 IHC-P~~N/A FC~~1:10~50

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name TF (<u>HGNC:11740</u>)

Function Transferrins are iron binding transport proteins which can bind two Fe(3+)


ions in association with the binding of an anion, usually bicarbonate. It is responsible for the transport of iron from sites of absorption and heme degradation to those of storage and utilization. Serum transferrin may also have a further role in stimulating cell proliferation. (Microbial infection) Serves as an iron source for parasite T.brucei (strain 427), which capture TF via its own transferrin receptor ESAG6:ESAG7 and extract its iron for its own


use.

Cellular Location Secreted.

Tissue Location Expressed by the liver and secreted in plasma.

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.