10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

SETD7 Rabbit mAb

Catalog # AP77404

Product Information

Application	WB, IP
Primary Accession	Q8WTS6
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Immunogen	A synthesized peptide derived from human SETD7
Purification	Affinity Chromatography
Calculated MW	40721

Additional Information

Gene ID	80854
Other Names	SETD7
Dilution	WB~~1/500-1/1000 IP~~N/A
Format	Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information


Name	SETD7
Function	Histone methyltransferase that specifically monomethylates 'Lys-4' of histone H3 (PubMed:11779497, PubMed:11850410, PubMed:12540855, PubMed:12588998, PubMed:16141209). H3 'Lys-4' methylation represents a specific tag for epigenetic transcriptional activation (PubMed:12540855, PubMed:12588998, PubMed:16141209). Plays a central role in the transcriptional activation of genes such as collagenase or insulin (PubMed:12588998, PubMed:16141209). Recruited by IPF1/PDX-1 to the insulin promoter, leading to activate transcription (PubMed:16141209). Also has methyltransferase activity toward non- histone proteins such as CGAS, GLI3, p53/TP53, TAF10, and possibly TAF7 by recognizing and binding the [KR]-[STA]-K in substrate proteins (PubMed:15099517, PubMed:15525938, PubMed:16415881, PubMed:27146893, PubMed:35210392). Monomethylates 'Lys-189' of TAF10, leading to increase the affinity of TAF10 for RNA polymerase II (PubMed:15099517, PubMed:16415881). Monomethylates

'Lys-372' of p53/TP53, stabilizing p53/TP53 and increasing p53/TP53-mediated transcriptional activation (PubMed:15525938, PubMed:16415881, PubMed:17108971). Monomethylates 'Lys-491' of CGAS, promoting interaction between SGF29 and CGAS (By similarity). Acts as a positive regulator of smoothened signaling by mediating methylation of full-length GLI3, increasing GLI3 ability to bind DNA (PubMed:27146893).

Cellular Location Nucleus. Chromosome

Tissue Location Widely expressed. Expressed in pancreatic islets.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.