10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CXCR3 Rabbit mAb

Catalog # AP77709

Product Information

Application	WB, IF, ICC, IP
Primary Accession	P49682
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Immunogen	A synthesized peptide derived from human CXCR3
Purification	Affinity Chromatography
Calculated MW	40660

Additional Information


Gene ID	2833
Other Names	CXCR3
Dilution	WB~~1/500-1/1000 IF~~1:50~200 ICC~~N/A IP~~N/A
Format	Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information

Name	CXCR3
Synonyms	GPR9
Function	[Isoform 1]: Receptor for the C-X-C chemokines CXCL9, CXCL10 and CXCL11, and mediates the proliferation, survival and angiogenic activity of human mesangial cells (HMC) through a heterotrimeric G- protein signaling pathway (PubMed:12782716). Probably promotes cell chemotaxis response. Upon activation by PF4, induces activated T- lymphocyte migration mediated via downstream Ras/extracellular signal- regulated kinase (ERK) signaling. [Isoform 3]: Mediates the activity of CXCL11.
Cellular Location	[Isoform 1]: Cell membrane; Multi-pass membrane protein
Tissue Location	Isoform 1 and isoform 2 are mainly expressed in heart, kidney, liver and skeletal muscle. Isoform 1 is also expressed in placenta. Isoform 2 is

expressed in endothelial cells. Expressed in T-cells (at protein level).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.