

[KD]Carbonic Anhydrase 2 Rabbit mAb

Catalog # AP77734

Product Information

Application	WB, IHC-P
Primary Accession	P00918
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Chromatography
Calculated MW	29246

Additional Information

Gene ID	760
Other Names	CA2
Dilution	WB~~1:1000 IHC-P~~N/A
Format	Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information

Name	CA2
Function	Catalyzes the reversible hydration of carbon dioxide (PubMed: 11327835 , PubMed: 11802772 , PubMed: 11831900 , PubMed: 12056894 , PubMed: 12171926 , PubMed: 1336460 , PubMed: 14736236 , PubMed: 15300855 , PubMed: 15453828 , PubMed: 15667203 , PubMed: 15865431 , PubMed: 16106378 , PubMed: 16214338 , PubMed: 16290146 , PubMed: 16686544 , PubMed: 16759856 , PubMed: 16807956 , PubMed: 17127057 , PubMed: 17251017 , PubMed: 17314045 , PubMed: 17330962 , PubMed: 17346964 , PubMed: 17540563 , PubMed: 17588751 , PubMed: 17705204 , PubMed: 18024029 , PubMed: 18162396 , PubMed: 18266323 , PubMed: 18374572 , PubMed: 18481843 , PubMed: 18618712 , PubMed: 18640037 , PubMed: 18942852 , PubMed: 1909891 , PubMed: 1910042 , PubMed: 19170619 , PubMed: 19186056 , PubMed: 19206230 , PubMed: 19520834 , PubMed: 19778001 , PubMed: 7761440 , PubMed: 7901850 , PubMed: 8218160 , PubMed: 8262987 , PubMed: 8399159 , PubMed: 8451242 , PubMed: 8485129 ,

PubMed:[8639494](#), PubMed:[9265618](#), PubMed:[9398308](#)). Can also hydrate cyanamide to urea (PubMed:[10550681](#), PubMed:[11015219](#)). Stimulates the chloride-bicarbonate exchange activity of SLC26A6 (PubMed:[15990874](#)). Essential for bone resorption and osteoclast differentiation (PubMed:[15300855](#)). Involved in the regulation of fluid secretion into the anterior chamber of the eye. Contributes to intracellular pH regulation in the duodenal upper villous epithelium during proton-coupled peptide absorption.

Cellular Location

Cytoplasm. Cell membrane. Note=Colocalized with SLC26A6 at the surface of the cell membrane in order to form a bicarbonate transport metabolon. Displaced from the cytosolic surface of the cell membrane by PKC in phorbol myristate acetate (PMA)-induced cells

Background

Essential for bone resorption and osteoclast differentiation (By similarity). Reversible hydration of carbon dioxide. Can hydrates cyanamide to urea. Involved in the regulation of fluid secretion into the anterior chamber of the eye.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.