

Hsc70 Interacting Protein HIP Rabbit mAb

Catalog # AP77940

Product Information

Application WB, IHC-P, IF, FC, ICC

Primary Accession P50502

Reactivity Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Isotype IgG

Conjugate Unconjugated

Immunogen A synthesized peptide derived from human HSC70 Interacting Protein HIP

Purification Affinity Chromatography

Calculated MW 41332

Additional Information

Gene ID 6767

Other Names ST13

Dilution WB~~1/500-1/1000 IHC-P~~N/A IF~~1:50~200 FC~~1:10~50 ICC~~N/A

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name ST13

Synonyms AAG2, FAM10A1, HIP, SNC6


Function One HIP oligomer binds the ATPase domains of at least two HSC70

molecules dependent on activation of the HSC70 ATPase by HSP40. Stabilizes the ADP state of HSC70 that has a high affinity for substrate protein. Through its own chaperone activity, it may contribute to the interaction of HSC70 with

various target proteins (By similarity).

Cellular Location Cytoplasm.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.