

KIF4A Rabbit mAb

Catalog # AP78336

Product Information

Application WB, FC **Primary Accession** 095239

Reactivity Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Isotype IgG

Conjugate Unconjugated

Immunogen A synthesized peptide derived from human KIF4A

Purification Affinity Purified

Calculated MW 139881

Additional Information

Gene ID 24137

Other Names KIF4A

Dilution WB~~1/500-1/1000 FC~~1:10~50

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name KIF4A

Synonyms KIF4

Function Iron-sulfur (Fe-S) cluster binding motor protein that has a role in

chromosome segregation during mitosis (PubMed: 29848660). Translocates PRC1 to the plus ends of interdigitating spindle microtubules during the metaphase to anaphase transition, an essential step for the formation of an organized central spindle midzone and midbody and for successful

cytokinesis (PubMed: <u>15297875</u>, PubMed: <u>15625105</u>). May play a role in mitotic chromosomal positioning and bipolar spindle stabilization (By similarity).

Cellular Location Nucleus matrix. Cytoplasm. Cytoplasm, cytoskeleton, spindle Midbody


Chromosome. Note=Associates with chromosomes at all stage of mitosis (PubMed:11736643, PubMed:15297875, PubMed:15625105) Chromatin localization is dependent on iron-sulfur cluster binding (PubMed:29848660).

In anaphase, associates with the mitotic spindle midzone (PubMed:15297875). In telophase and cytokinesis, co-localizes with CIAO2B at the spindle midzone and midbody (PubMed:15297875, PubMed:29848660). Co-localizes with PRC1 in early mitosis and at the spindle midzone from anaphase B to telophase (PubMed:15297875, PubMed:15625105). Does not localize to the nucleolus (PubMed:11736643)

Tissue Location

Highly expressed in hematopoietic tissues, fetal liver, spleen, thymus and adult thymus and bone marrow. Lower levels are found in heart, testis, kidney, colon and lung

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.