

SRD5A2 Rabbit mAb

Catalog # AP78362

Product Information

Application	WB, IP
Primary Accession	P31213
Reactivity	Rat, Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Immunogen	A synthesized peptide derived from human SRD5A2
Purification	Affinity Purified
Calculated MW	28407

Additional Information

Gene ID	6716
Other Names	SRD5A2
Dilution	WB~~1/500-1/1000 IP~~N/A
Format	Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Protein Information

Name	SRD5A2
Function	Catalyzes the irreversible stereospecific reduction of the delta 4,5 bond (double bond between carbons 4 and 5) of various 3-oxo steroids (3-keto steroids) producing their 5alpha dihydro-3-oxo forms (PubMed: 10898110 , PubMed: 23685396). Converts testosterone into 5-alpha- dihydrotestosterone (DHT), the most active androgen in the prostate, as it is the preferred ligand for androgen receptor (AR) transactivation, making this reaction a key step in male sexual differentiation during development (PubMed: 10898110 , PubMed: 23685396). Besides testosterone, it can also act on other steroids, including progesterone, producing metabolites with diverse roles (PubMed: 10898110). Hence, it plays a central role in sexual differentiation and androgen physiology (PubMed: 10898110).
Cellular Location	Microsome membrane; Multi-pass membrane protein. Endoplasmic reticulum membrane; Multi-pass membrane protein

Tissue Location

Expressed in high levels in the prostate and many other androgen-sensitive tissues

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.