

# Oct-4 Rabbit mAb

Catalog # AP78977

#### **Product Information**

**Application** WB, IHC-P, IP, ICC

Primary Accession Q01860

Reactivity Human, Mouse

**Host** Rabbit

**Clonality** Monoclonal Antibody

Calculated MW 38571

#### **Additional Information**

**Gene ID** 5460

Other Names POU5F1

**Dilution** WB~~1/500-1/1000 IHC-P~~N/A IP~~N/A ICC~~N/A

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

### **Protein Information**

Name POU5F1

**Synonyms** OCT3, OCT4, OTF3

**Function** Transcription factor that binds to the octamer motif (5'- ATTTGCAT-3'). Forms

a trimeric complex with SOX2 or SOX15 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206. Critical for early embryogenesis and for embryonic stem

cell pluripotency.

**Cellular Location** Cytoplasm. Nucleus. Note=Expressed in a diffuse and slightly punctuate

pattern. Colocalizes with MAPK8 and MAPK9 in the nucleus.


{ECO:0000250 | UniProtKB:P20263, ECO:0000269 | PubMed:18191611, ECO:0000269 | PubMed:19274063, ECO:0000269 | PubMed:23024368}

**Tissue Location** Expressed in developing brain. Highest levels found in specific cell layers of

the cortex, the olfactory bulb, the hippocampus and the cerebellum. Low

levels of expression in adult tissues.

## **Images**



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.