

## FDFT1 Rabbit mAb

Catalog # AP79042

## **Product Information**

**Application** WB, IHC-P, IF, ICC, IP

Primary Accession <u>P37268</u>

**Reactivity** Rat, Human, Mouse

**Host** Rabbit

**Clonality** Monoclonal Antibody

**Isotype** IgG

**Conjugate** Unconjugated

**Immunogen** A synthesized peptide derived from human FDFT1

**Purification** Affinity Chromatography

Calculated MW 48115

## **Additional Information**

Gene ID 2222

Other Names FDFT1

**Dilution** WB~~1/500-1/1000 IHC-P~~N/A IF~~1:50~200 ICC~~N/A IP~~N/A

Format Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02%

sodium azide and 50% glycerol.

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

## **Protein Information**

Name FDFT1

**Function** Catalyzes the condensation of 2 farnesyl pyrophosphate (FPP) moieties to

form squalene. Proceeds in two distinct steps. In the first half-reaction, two

molecules of FPP react to form the stable presqualene diphosphate


intermediate (PSQPP), with concomitant release of a proton and a molecule of


inorganic diphosphate. In the second half-reaction, PSQPP undergoes heterolysis, isomerization, and reduction with NADPH or NADH to form squalene. It is the first committed enzyme of the sterol biosynthesis pathway.

**Cellular Location** Endoplasmic reticulum membrane {ECO:0000250 | UniProtKB:Q02769};

Multi-pass membrane protein

Tissue Location Widely expressed..





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.