

# RPS6KB2 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP8009c

#### **Product Information**

**Application** WB, E **Primary Accession Q9UBS0** Reactivity Human, Rat Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB11689 **Calculated MW** 53455 **Antigen Region** 243-272

#### **Additional Information**

Gene ID 6199

Other Names Ribosomal protein S6 kinase beta-2, S6K-beta-2, S6K2, 70 kDa ribosomal

protein S6 kinase 2, P70S6K2, p70-S6K 2, S6 kinase-related kinase, SRK, Serine/threonine-protein kinase 14B, p70 ribosomal S6 kinase beta, S6K-beta, p70 S6 kinase beta, p70 S6K-beta, p70 S6KB, p70-beta, RPS6KB2, STK14B

Target/Specificity This RPS6KB2 antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 243-272 amino acids from the Central

region of human RPS6KB2.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation

followed by dialysis against PBS.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** RPS6KB2 Antibody (Center) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name RPS6KB2

Synonyms STK14B

**Function** Phosphorylates specifically ribosomal protein S6 (PubMed: 29750193).

Seems to act downstream of mTOR signaling in response to growth factors and nutrients to promote cell proliferation, cell growth and cell cycle

progression in an alternative pathway regulated by MEAK7

(PubMed:29750193).

**Cellular Location** Cytoplasm. Nucleus.


# **Background**

RPS6KB2 is a member of the RSK (ribosomal S6 kinase) family of serine/threonine kinases. This kinase contains 2 nonidentical kinase catalytic domains and phosphorylates the S6 ribosomal protein and eucaryotic translation initiation factor 4B. Phosphorylation of S6 leads to an increase in protein synthesis and cell proliferation.

# References

Strausberg, R.L., et al., Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903 (2002). Lee-Fruman, K.K., et al., Oncogene 18(36):5108-5114 (1999). Saitoh, M., et al., Biochem. Biophys. Res. Commun. 253(2):470-476 (1998). Gout, I., et al., J. Biol. Chem. 273(46):30061-30064 (1998).

## **Images**



Western blot analysis of RPS6KB2 (arrow) using rabbit polyclonal RPS6KB2 Antibody (Center) (RB11689). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the human RPS6KB2 gene (Lane 2) (Origene Technologies).

### **Citations**

• miR 11273g Bp promotes proliferation, migration and invasion of LoVo cells via cannabinoid receptor 1 through activation of ERBB4/PIK3R3/mTOR/S6K2 signaling pathway.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.