10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RPS6KB2 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP8009c

Product Information

Application	WB, E
Primary Accession	Q9UBS0
Reactivity	Human, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Clone Names	RB11689
Calculated MW	53455
Antigen Region	243-272

Additional Information

Gene ID	6199
Other Names	Ribosomal protein S6 kinase beta-2, S6K-beta-2, S6K2, 70 kDa ribosomal protein S6 kinase 2, P70S6K2, p70-S6K 2, S6 kinase-related kinase, SRK, Serine/threonine-protein kinase 14B, p70 ribosomal S6 kinase beta, S6K-beta, p70 S6 kinase beta, p70 S6K-beta, p70 S6KB, p70-beta, RPS6KB2, STK14B
Target/Specificity	This RPS6KB2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 243-272 amino acids from the Central region of human RPS6KB2.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	RPS6KB2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	RPS6KB2
Synonyms	STK14B

Function	Phosphorylates specifically ribosomal protein S6 (PubMed: 29750193). Seems to act downstream of mTOR signaling in response to growth factors and nutrients to promote cell proliferation, cell growth and cell cycle progression in an alternative pathway regulated by MEAK7 (PubMed:29750193).
Cellular Location	Cytoplasm. Nucleus.


Background

RPS6KB2 is a member of the RSK (ribosomal S6 kinase) family of serine/threonine kinases. This kinase contains 2 nonidentical kinase catalytic domains and phosphorylates the S6 ribosomal protein and eucaryotic translation initiation factor 4B. Phosphorylation of S6 leads to an increase in protein synthesis and cell proliferation.

References

Strausberg, R.L., et al., Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903 (2002).
Lee-Fruman, K.K., et al., Oncogene 18(36):5108-5114 (1999).
Saitoh, M., et al., Biochem. Biophys. Res. Commun. 253(2):470-476 (1998).
Gout, I., et al., J. Biol. Chem. 273(46):30061-30064 (1998).

Images



Western blot analysis of RPS6KB2 (arrow) using rabbit polyclonal RPS6KB2 Antibody (Center) (RB11689). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the human RPS6KB2 gene (Lane 2) (Origene Technologies).

Citations

- miR-1273g-3p promotes proliferation, migration and invasion of LoVo cells via cannabinoid receptor 1 through activation of ERBB4/PIK3R3/mTOR/S6K2 signaling pathway.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.