

Histone H3 (acetyl K14) Antibody

Rabbit mAb Catalog # AP90315

Product Information

Application WB, IHC, IF, ICC, IP, IHF

Primary Accession
Reactivity
Rat, Human
Clonality
Monoclonal

Other Names H3 histone family, member A; H3/A; H31; H3FA; H3FB; H3FC; H3FD; H3FF;

H3FH; H3FI; H3FK; H3FL; HIST1H3A; HIST1H3B; HIST1H3C; HIST1H3D; HIST1H3E; HIST1H3F; HIST1H3G; HIST1H3H; HIST1H3I; HIST1H3J; histone 1,

H3a; histone cluster 1, H3a; Histone H3.1;

IsotypeRabbit IgGHostRabbitCalculated MW15404

Additional Information

Dilution WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 IP 1:50

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human Histone H3 (acetyl K14)

Description H3 Core component of nucleosome. Nucleosomes wrap and compact DNA

into chromatin, limiting DNA accessibility to the cellular machineries which

require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational

modifications of histones, also called histone code, and nucleosome

remodeling. The nucleosome is a histone octamer containing two molecules each of H2A, H2B, H3 and H4 assembled in one H3-H4 heterotetramer and

two H2A-H2B heterodimers.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name H3C1 (<u>HGNC:4766</u>)

Synonyms H3FA, HIST1H3A


Function Core component of nucleosome. Nucleosomes wrap and compact DNA into

chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications

Cellular Location

Nucleus. Chromosome.

Images



Western blot analysis of Acetyl-Histone H3 (K14) expression in C6 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.