

Histone H4 (tri methyl K20) Antibody

Rabbit mAb Catalog # AP90507

Product Information

Application WB, IHC Primary Accession P62805

Reactivity Rat, Human, Mouse

Clonality Monoclonal

Other Names H4F2; HIST; HIST1H4A; Histone H4; H4K20me3;

IsotypeRabbit IgGHostRabbitCalculated MW11367

Additional Information

Dilution WB 1:500~1:2000 IHC 1:50~1:200

Purification Affinity-chromatography

ImmunogenA synthesized peptide derived from human Histone H4 (tri methyl K20)DescriptionCore component of nucleosome. Nucleosomes wrap and compact DNA into

chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications

of histones, also called histone code, and nucleosome remodeling.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name H4C1

Synonyms H4/A, H4FA, HIST1H4A

Function Core component of nucleosome. Nucleosomes wrap and compact DNA into

chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications


of histones, also called histone code, and nucleosome remodeling.

Cellular Location Nucleus {ECO:0000250 | UniProtKB:P62806}. Chromosome. Note=Localized to

the nucleus when acetylated in step 11 spermatids.

{ECO:0000250 | UniProtKB:P62806}

Images



Western blot analysis of Histone H4 (tri methyl K20) expression in HeLa cell lysate.

Image not found: 202311/AP90507-IHC.jpg

Immunohistochemical analysis of paraffin-embedded human stomach, using Histone H4 (tri methyl K20) Antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.