

GRM5 Antibody

Rabbit mAb Catalog # AP90555

Product Information

Application WB, IHC, IF, FC, ICC, IHF

Primary Accession P41594

Reactivity Rat, Human, Mouse

Clonality Monoclonal

Other Names GPRC1E; GRM5; Metabotropic glutamate receptor 5 precursor; MGLUR5;

MGR5;

IsotypeRabbit IgGHostRabbitCalculated MW132469

Additional Information

Dilution WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human GRM5

Description G-protein coupled receptor for glutamate. Ligand binding causes a

conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling activates a phosphatidylinositol-calcium second messenger system and generates a calcium-activated chloride current. Plays an important role in the regulation of synaptic plasticity and the modulation of the neural network

activity.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name GRM5

Synonyms GPRC1E, MGLUR5


Function G-protein coupled receptor for glutamate. Ligand binding causes a

conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling activates a phosphatidylinositol- calcium second messenger system and generates a calcium-activated chloride current. Plays an important role in the regulation of synaptic plasticity and the modulation of the neural network

activity.

Cellular Location Cell membrane; Multi-pass membrane protein

Images



Western blot analysis of GRM5 expression in mouse brain lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.