

Caspase-10 Antibody

Rabbit mAb Catalog # AP90974

Product Information

Application WB, IHC, FC, IP

Primary Accession

Reactivity

Clonality

Q92851

Human

Monoclonal

Other Names Apoptotic protease Mch4; CASP10; Caspase10; FLICE2; ICE like apoptotic

protease 4; FADD-like ICE2;

IsotypeRabbit IgGHostRabbitCalculated MW58951

Additional Information

Dilution WB 1:500~1:2000 IHC 1:50~1:100 IP 1:50 FC 1:50

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human Caspase-10

Description Caspase-10 is a DED (death effector domain)-containing caspase and

functions as an initiator caspase in Fas/TNF induced apoptosis. Four isoforms of caspase-10 have been identified: caspase-10a (Mch4), caspase-10b (FLICE2), caspase-10c and caspase-10d. They have the same prodomain but

different mature large and small subdomains).

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name CASP10

Synonyms MCH4

Function Involved in the activation cascade of caspases responsible for apoptosis


execution. Recruited to both Fas- and TNFR-1 receptors in a FADD dependent manner. May participate in the granzyme B apoptotic pathways. Cleaves and activates effector caspases CASP3, CASP4, CASP6, CASP7, CASP8 and CASP9. Hydrolyzes the small- molecule substrates, Tyr- Val-Ala-Asp-|-AMC and

Asp-Glu-Val-Asp-|-AMC.

Tissue Location Detectable in most tissues. Lowest expression is seen in brain, kidney,

prostate, testis and colon

Images



Western blot analysis of Caspase-10 expression in Jurkat cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.