

# PROX1 Antibody

Rabbit mAb Catalog # AP91109

#### **Product Information**

Application WB
Primary Accession Q92786
Reactivity Human
Clonality Monoclonal

Other Names Homeobox prospero like protein PROX1; Prospero homeobox protein 1;

prospero-related homeobox gene 1; PROX1;

IsotypeRabbit IgGHostRabbitCalculated MW83203

#### **Additional Information**

**Dilution** WB 1:500~1:2000 **Purification** Affinity-chromatography

Immunogen A synthesized peptide derived from human PROX1

**Description** Plays a critical role in embryonic development and functions as a key

regulatory protein in neurogenesis and the development of the heart, eye lens, liver, pancreas and the lymphatic system. Involved in the regulation of

the circadian rhythm.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

#### **Protein Information**

Name PROX1

**Function** Transcription factor involved in developmental processes such as cell fate

determination, gene transcriptional regulation and progenitor cell regulation in a number of organs. Plays a critical role in embryonic development and functions as a key regulatory protein in neurogenesis and the development of the heart, eye lens, liver, pancreas and the lymphatic system. Involved in the

regulation of the circadian rhythm. Represses: transcription of the

retinoid-related orphan receptor RORG, transcriptional activator activity of RORA and RORG and the expression of RORA/G-target genes including core clock components: BMAL1, NPAS2 and CRY1 and metabolic genes: AVPR1A

and ELOVL3.


Cellular Location Nucleus {ECO:0000250|UniProtKB:P48437}. Note=RORG promotes its nuclear

localization. {ECO:0000250 | UniProtKB:P48437}

### **Tissue Location**

Most actively expressed in the developing lens. Detected also in embryonic brain, lung, liver and kidney. In adult, it is more abundant in heart and liver than in brain, skeletal muscle, kidney and pancreas.

## **Images**



Western blot analysis of PROX1 expression in HepG2 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.