

# Tyrosinase Antibody

Rabbit mAb Catalog # AP91227

## **Product Information**

Application	WB, IHC, IF, ICC, IHF
Primary Accession	<u>P14679</u>
Reactivity	Human
Clonality	Monoclonal
Other Names	ATN; CMM8; LB24 AB; SHEP3; SK29 AB; Tumor rejection antigen AB; TYR;
lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	60393

### **Additional Information**

Dilution Purification Immunogen	WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200 Affinity-chromatography A synthesized peptide derived from human Tyrosinase
Description	Tyrosinase, found in the membrane of melanosomes, is a key enzyme in the biosynthesis of melanin pigments. It is a melanocyte differentiation antigen and is expressed in normal melanocytes and malignant melanomas.
Storage Condition and Buffer	Tyrosinase is implicated to be an antigen target for melanoma vaccines. Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

#### **Protein Information**

Name	TYR ( <u>HGNC:12442</u> )
Function	This is a copper-containing oxidase that functions in the formation of pigments such as melanins and other polyphenolic compounds. Catalyzes the initial and rate limiting step in the cascade of reactions leading to melanin production from tyrosine (By similarity). In addition to hydroxylating tyrosine to DOPA (3,4- dihydroxyphenylalanine), also catalyzes the oxidation of DOPA to DOPA- quinone, and possibly the oxidation of DHI (5,6-dihydroxyindole) to indole-5,6 quinone (PubMed: <u>28661582</u> ).
Cellular Location	Melanosome membrane; Single-pass type I membrane protein. Melanosome {ECO:0000250 UniProtKB:P11344}. Note=Proper trafficking to melanosome is regulated by SGSM2, ANKRD27, RAB9A, RAB32 and RAB38 {ECO:0000250 UniProtKB:P11344}

#### Images



Western blot analysis of Tyrosinase expression in human melanoma lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.