

Grp75 Antibody

Rabbit mAb Catalog # AP91430

Product Information

Application WB Primary Accession P38646

Reactivity Rat, Human, Mouse

Clonality Monoclonal

Other Names GRP-75; Heat shock 70 kDa protein 9; Mortalin; MOT; Peptide-binding protein

74; PBP74; HSPA9; GRP75; HSPA9B; mt-HSP70;

IsotypeRabbit IgGHostRabbitCalculated MW73680

Additional Information

Dilution WB 1:500~1:2000 **Purification** Affinity-chromatography

Immunogen A synthesized peptide derived from human Grp75

Description Implicated in the control of cell proliferation and cellular aging. May also act

as a chaperone.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name HSPA9 (HGNC:5244)

Function Mitochondrial chaperone that plays a key role in mitochondrial protein

import, folding, and assembly. Plays an essential role in the protein quality control system, the correct folding of proteins, the re-folding of misfolded proteins, and the targeting of proteins for subsequent degradation. These processes are achieved through cycles of ATP binding, ATP hydrolysis, and

ADP release, mediated by co-chaperones (PubMed:<u>18632665</u>, PubMed:<u>25615450</u>, PubMed:<u>28848044</u>, PubMed:<u>30933555</u>,

PubMed:<u>31177526</u>). In mitochondria, it associates with the TIM (translocase of the inner membrane) protein complex to assist in the import and folding of

mitochondrial proteins (By similarity). Plays an important role in


mitochondrial iron-sulfur cluster (ISC) biogenesis, interacts with and stabilizes ISC cluster assembly proteins FXN, NFU1, NFS1 and ISCU (PubMed:26702583). Regulates erythropoiesis via stabilization of ISC assembly (PubMed:21123823, PubMed:26702583). Regulates mitochondrial calcium-dependent apoptosis by coupling two calcium channels, ITPR1 and VDAC1, at the mitochondria-associated endoplasmic reticulum (ER) membrane to facilitate calcium

transport from the ER lumen to the mitochondria intermembrane space, providing calcium for the downstream calcium channel MCU, which releases it into the mitochondrial matrix (By similarity). Although primarily located in the mitochondria, it is also found in other cellular compartments. In the cytosol, it associates with proteins involved in signaling, apoptosis, or senescence. It may play a role in cell cycle regulation via its interaction with and promotion of degradation of TP53 (PubMed:24625977, PubMed:26634371). May play a role in the control of cell proliferation and cellular aging (By similarity). Protects against reactive oxygen species (ROS) (By similarity). Extracellular HSPA9 plays a cytoprotective role by preventing cell lysis following immune attack by the membrane attack complex by disrupting formation of the complex (PubMed:16091382).

Cellular Location

Mitochondrion. Nucleus, nucleolus. Cytoplasm. Mitochondrion matrix {ECO:0000250|UniProtKB:P48721}. Note=Found in a complex with HSPA9 and VDAC1 at the endoplasmic reticulum-mitochondria contact sites {ECO:0000250|UniProtKB:P48721}

Images



Western blot analysis of Grp75 expression in (1) HeLa cell lysate; (2) Mouse liver lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.