

Caspr Antibody

Rabbit mAb Catalog # AP91434

Product Information

| Application Primary Accession Reactivity Clonality Other Names | WB, IHC <u>P78357</u> Rat, Human, Mouse Monoclonal Caspr; Caspr1; CNTNAP; Cntnap1; Contactin associated protein 1; MHDNIV; NCP1; Neurexin-4; Nrxn4; p190; Paranodin; |
|--|---|
| lsotype | Rabbit IgG |
| Host | Rabbit |
| Calculated MW | 156267 |

Additional Information

| Dilution Purification | WB 1:500~1:2000 IHC 1:50~1:200 Affinity-chromatography A synthesized peptide derived from human Caspr |
|--|---|
| Immunogen Description Storage Condition and Buffer | Contactin-associated protein 2 (Caspr2) is a type I transmembrane protein and member of the neurexin superfamily that mediates nervous system cell-cell interactions through the Neurexin IV-Caspr-Paranodin (NCP) complex. |
| Storage Condition and Burrer | azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |

Protein Information

| Name | CNTNAP1 |
|-------------------|--|
| Synonyms | CASPR, NRXN4 |
| Function | Required, with CNTNAP2, for radial and longitudinal organization of myelinated axons. Plays a role in the formation of functional distinct domains critical for saltatory conduction of nerve impulses in myelinated nerve fibers. Demarcates the paranodal region of the axo-glial junction. In association with contactin involved in the signaling between axons and myelinating glial cells. |
| Cellular Location | Membrane; Single-pass type I membrane protein. Cell junction, paranodal septate junction {ECO:0000250 UniProtKB:O54991} |
| Tissue Location | Predominantly expressed in brain. Weak expression detected in ovary, pancreas, colon, lung, heart, intestine and testis |

Western blot analysis of Caspr expression in U87-MG cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.