

DOPA Decarboxylase Antibody

Rabbit mAb Catalog # AP91436

Product Information

Application Primary Accession Reactivity Clonality Other Names	WB <u>P20711</u> Rat, Human, Mouse Monoclonal AADC; Aromatic L Amino Acid Decarboxylase; DDC; DOPA decarboxylase (aromatic L-amino acid decarboxylase); DOPA decarboxylase;
lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	53926

Additional Information


Dilution Purification Immunogen Description	WB 1:500~1:2000 Affinity-chromatography A synthesized peptide derived from human DOPA Decarboxylase Catalyzes the decarboxylation of L-3,4-dihydroxyphenylalanine (DOPA) to dopamine, L-5-hydroxytryptophan to serotonin and L-tryptophan to
Storage Condition and Buffer	tryptamine. Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	DDC {ECO:0000303 PubMed:15532536, ECO:0000312 HGNC:HGNC:2719}
Function	Catalyzes the decarboxylation of L-3,4-dihydroxyphenylalanine (DOPA) to dopamine and L-5-hydroxytryptophan to serotonin.
Tissue Location	[Isoform 2]: High expression in kidney.

Images

Western blot analysis of DOPA Decarboxylase expression in (1) 293T cell lysate; (2) RAW 264 .7 cell lysate.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.