

## Matrin 3 Antibody

Rabbit mAb Catalog # AP91697

## **Product Information**

Application	WB, IHC, IF, FC, ICC, IHF
Primary Accession	<u>P43243</u>
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	KIAA0723; Matr3; Matrin3; MPD2; VCPDM;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	94623

## **Additional Information**

Dilution Purification Immunogen	WB 1:1000~1:5000 IHC 1:100~1:500 ICC/IF 1:50~1:200 FC 1:150 Affinity-chromatography A synthesized peptide derived from human Matrin 3
Description	May play a role in transcription or may interact with other nuclear matrix proteins to form the internal fibrogranular network. In association with the SFPQ-NONO heteromer may play a role in nuclear retention of defective RNAs.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

## **Protein Information**

Name	MATR3
Synonyms	KIAA0723
Function	May play a role in transcription or may interact with other nuclear matrix proteins to form the internal fibrogranular network. In association with the SFPQ-NONO heteromer may play a role in nuclear retention of defective RNAs. Plays a role in the regulation of DNA virus-mediated innate immune response by assembling into the HDP-RNP complex, a complex that serves as a platform for IRF3 phosphorylation and subsequent innate immune response activation through the cGAS-STING pathway (PubMed: <u>28712728</u> ). Binds to N6-methyladenosine (m6A)-containing mRNAs and contributes to MYC stability by binding to m6A-containing MYC mRNAs (PubMed: <u>32245947</u> ). May bind to specific miRNA hairpins (PubMed: <u>28431233</u> ).
Cellular Location	Nucleus matrix.



Western blot analysis of Matrin 3 expression in (1) HEK293 cell lysate; (2) PC12 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.