

RANK Antibody

Rabbit mAb

Catalog # AP91903

Product Information

Application	WB
Primary Accession	Q9Y6Q6
Reactivity	Human
Clonality	Monoclonal
Other Names	CD265; FEO; LOH18CR1; mRANK; ODFR; OFE; OPTB7; OST5; PDB2; RANK; TNFRSF11A; TRANCER;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	66034


Additional Information

Dilution	WB 1:500~1:2000
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human RANK
Description	Receptor for TNFSF11/RANKL/TRANCE/OPGL; essential for RANKL-mediated osteoclastogenesis. Involved in the regulation of interactions between T-cells and dendritic cells.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	TNFRSF11A
Synonyms	RANK
Function	Receptor for TNFSF11/RANKL/TRANCE/OPGL; essential for RANKL- mediated osteoclastogenesis (PubMed: 9878548). Its interaction with EEIG1 promotes osteoclastogenesis via facilitating the transcription of NFATC1 and activation of PLCG2 (By similarity). Involved in the regulation of interactions between T-cells and dendritic cells (By similarity).
Cellular Location	[Isoform 1]: Cell membrane; Single-pass type I membrane protein. Membrane raft {ECO:0000250 UniProtKB:O35305}
Tissue Location	Ubiquitous expression with high levels in skeletal muscle, thymus, liver, colon, small intestine and adrenal gland

Images



Western blot analysis of RANK expression in Human fetal liver lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.