

Dkk3 Antibody

Rabbit mAb

Catalog # AP92121

Product Information

Application	WB, IF, ICC, IP
Primary Accession	Q9UBP4
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	RIG; REIC;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	38390


Additional Information

Dilution	WB 1:500~1:2000 ICC/IF 1:50~1:200 IP 1:50
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Dkk3
Description	Antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	DKK3
Synonyms	REIC
Function	Antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6. DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation. In the adult, Dkks are implicated in bone formation and bone disease, cancer and Alzheimer disease (By similarity).
Cellular Location	Secreted.
Tissue Location	Highest expression in heart, brain, and spinal cord. {ECO:0000269 PubMed:10570958, ECO:0000269 Ref.4}

Images



Western blot analysis of Dkk3 expression in Human fetal kidney lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.