

RAIDD Antibody

Rabbit mAb Catalog # AP92160

Product Information

Application WB, IF, FC, ICC, IP

Primary Accession P78560
Reactivity Rat, Human
Clonality Monoclonal
Other Names Cradd;

IsotypeRabbit IgGHostRabbitCalculated MW22745

Additional Information

Dilution WB 1:500~1:2000 ICC/IF 1:50~1:200 IP 1:50 FC 1:50

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human RAIDD

Description Apoptotic adaptor molecule specific for caspase-2 and FASL/TNF

receptor-interacting protein RIP. In the presence of RIP and TRADD, CRADD

recruits caspase-2 to the TNFR-1 signalling complex.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name CRADD

Synonyms RAIDD

Function Adapter protein that associates with PIDD1 and the caspase CASP2 to form

the PIDDosome, a complex that activates CASP2 and triggers apoptosis

(PubMed: 15073321, PubMed: 16652156, PubMed: 17159900,

PubMed: 17289572, PubMed: 9044836). Also recruits CASP2 to the TNFR-1 signaling complex through its interaction with RIPK1 and TRADD and may play

a role in the tumor necrosis factor-mediated signaling pathway

(PubMed:8985253).


Cellular Location Cytoplasm {ECO:0000250|UniProtKB:088843}, Nucleus

{ECO:0000250 | UniProtKB:088843}

Tissue Location Constitutively expressed in most tissues, with particularly high expression in

adult heart, testis, liver, skeletal muscle, fetal liver and kidney.

Images



Western blot analysis of RAIDD expression in HeLa cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.