

TXNRD2 Antibody

Rabbit mAb

Catalog # AP92327

Product Information

Application	WB, IHC
Primary Accession	Q9NNW7
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	SelZ; TR 3; TR; TR beta; TR3; TRXR2; TXNRD 2; Txnrd2;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	56507


Additional Information

Dilution	WB 1:500~1:2000 IHC 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human TXNRD2
Description	Maintains thioredoxin in a reduced state. Implicated in the defenses against oxidative stress. May play a role in redox-regulated cell signaling.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	TXNRD2 (HGNC:18155)
Synonyms	KIAA1652, TRXR2
Function	Involved in the control of reactive oxygen species levels and the regulation of mitochondrial redox homeostasis (PubMed: 24601690). Maintains thioredoxin in a reduced state. May play a role in redox- regulated cell signaling.
Cellular Location	Mitochondrion.
Tissue Location	Highly expressed in the prostate, ovary, liver, testis, uterus, colon and small intestine. Intermediate levels in brain, skeletal muscle, heart and spleen. Low levels in placenta, pancreas, thymus and peripheral blood leukocytes. According to PubMed:10608886, high levels in kidney, whereas according to PubMed:9923614, levels are low. High expression is observed in the adrenal cortex (PubMed:24601690).

Images



Western blot analysis of TXNRD2 expression in LnCap cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.