10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RYK Antibody

Rabbit mAb
Catalog # AP92445

Product Information

Application	WB, IHC, IF, FC, ICC, IP, IHF
Primary Accession	P34925
Reactivity	Human
Clonality	Monoclonal
Other Names	ERK 3; JTK5; JTK5A; Ryk; RYK1; Vik;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	67815

Additional Information

Dilution	WB 1:1000~1:5000 IHC 1:50~1:200 ICC/IF 1:50~1:200 IP 1:50 FC 1:50
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human RYK
Description	May be a coreceptor along with FZD8 of Wnt proteins, such as WNT1, WNT3, WNT3A and WNT5A. Involved in neuron differentiation, axon guidance, corpus callosum establishment and neurite outgrowth. In response to WNT3 stimulation, receptor C-terminal cleavage occurs in its transmembrane region and allows the C-terminal intracellular product to translocate from the cytoplasm to the nucleus where it plays a crucial role in neuronal development.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.


Protein Information

Name	RYK (HGNC:10481)
Synonyms	JTK5A
Function	May be a coreceptor along with FZD8 of Wnt proteins, such as WNT1, WNT3, WNT3A and WNT5A. Involved in neuron differentiation, axon guidance, corpus callosum establishment and neurite outgrowth. In response to WNT3 stimulation, receptor C-terminal cleavage occurs in its transmembrane region and allows the C-terminal intracellular product to translocate from the cytoplasm to the nucleus where it plays a crucial role in neuronal development.
Cellular Location	Cell membrane; Single-pass type I membrane protein. Nucleus {ECO:0000250|UniProtKB:Q01887} Cytoplasm

{ECO:0000250|UniProtKB:Q01887}. Note=In cells that have undergone neuronal differentiation, the C-terminal cleaved part is translocated from the cytoplasm to the nucleus {ECO:0000250|UniProtKB:Q01887}

Tissue Location Observed in all the tissues examined.

Images



Western blot analysis of RYK expression in MCF7 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.