

Complement factor B Antibody

Rabbit mAb

Catalog # AP92620

Product Information

Application	WB
Primary Accession	P00751
Reactivity	Human
Clonality	Monoclonal
Other Names	C3/C5 convertase; Complement factor B; PBF2; Properdin factor B;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	85533


Additional Information

Dilution	WB 1:500~1:2000
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Complement factor B
Description	Factor B which is part of the alternate pathway of the complement system is cleaved by factor D into 2 fragments: Ba and Bb. Bb, a serine protease, then combines with complement factor 3b to generate the C3 or C5 convertase.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	CFB (HGNC:1037)
Synonyms	BF, BFD
Function	Precursor of the catalytic component of the C3 and C5 convertase complexes of the alternative pathway of the complement system, a cascade of proteins that leads to phagocytosis and breakdown of pathogens and signaling that strengthens the adaptive immune system (PubMed: 3638964 , PubMed: 624565 , PubMed: 6554279 , PubMed: 6919543 , PubMed: 9748277). The alternative complement pathway acts as an amplification loop that enhances other complement pathways (classical, lectin and GZMK) by promoting formation of additional C3 and C5 convertases (PubMed: 3638964 , PubMed: 624565 , PubMed: 6554279 , PubMed: 6919543 , PubMed: 9748277). CFB is cleaved and activated by CFD to generate Ba and Bb chains; Bb chain constituting the catalytic component of the C3 and C5 convertases (PubMed: 6769474 , PubMed: 9748277).
Cellular Location	Secreted.

Images



Western blot analysis of Complement factor B expression in Human plasma lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.