

Osteoprotegerin Antibody

Rabbit mAb Catalog # AP92717

Product Information

Application IHC, IF, ICC, IHF

Primary Accession

Reactivity

Clonality

O00300

Human

Monoclonal

Other Names OCIF; OPG; Osteoclastogenesis inhibitory factor; Osteoprotegerin; PDB5;

TNFRSF11B; TR1;

IsotypeRabbit IgGHostRabbitCalculated MW46026

Additional Information

Dilution IHC 1:50~1:200 ICC/IF 1:50~1:200

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human Osteoprotegerin

Description Acts as decoy receptor for RANKL and thereby neutralizes its function in

osteoclastogenesis. Inhibits the activation of osteoclasts and promotes osteoclast apoptosis in vitro. Bone homeostasis seems to depend on the local RANKL/OPG ratio. May also play a role in preventing arterial calcification. May act as decoy receptor for TRAIL and protect against apoptosis. TRAIL binding

blocks the inhibition of osteoclastogenesis.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name TNFRSF11B

Synonyms OCIF, OPG

Function Acts as a decoy receptor for TNFSF11/RANKL and thereby neutralizes its

function in osteoclastogenesis. Inhibits the activation of osteoclasts and promotes osteoclast apoptosis in vitro. Bone homeostasis seems to depend on the local ratio between TNFSF11 and TNFRSF11B. May also play a role in preventing arterial calcification. May act as decoy receptor for TNFSF10/TRAIL and protect against apoptosis. TNFSF10/TRAIL binding blocks the inhibition of

osteoclastogenesis.

Cellular Location Secreted.

Tissue Location

Highly expressed in adult lung, heart, kidney, liver, spleen, thymus, prostate, ovary, small intestine, thyroid, lymph node, trachea, adrenal gland, testis, and bone marrow. Detected at very low levels in brain, placenta and skeletal muscle. Highly expressed in fetal kidney, liver and lung

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.