

# **COASY Antibody**

Rabbit mAb Catalog # AP92722

### **Product Information**

Application WB, FC
Primary Accession Q13057
Reactivity Human
Clonality Monoclonal

Other Names CoA kinase; COASY; DPCK; DPCOAK; NBP; POV2; PPAT; UKR1;

IsotypeRabbit IgGHostRabbitCalculated MW62329

## **Additional Information**

**Dilution** WB 1:500~1:2000 FC 1:50 **Purification** Affinity-chromatography

**Immunogen** A synthesized peptide derived from human COASY

**Description** Bifunctional enzyme that catalyzes the fourth and fifth sequential steps of

CoA biosynthetic pathway.

**Storage Condition and Buffer** Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

#### **Protein Information**

Name COASY ( HGNC:29932)

**Function** Bifunctional enzyme that catalyzes the fourth and fifth sequential steps of

CoA biosynthetic pathway. The fourth reaction is catalyzed by the

phosphopantetheine adenylyltransferase, coded by the coaD domain; the fifth

reaction is catalyzed by the dephospho-CoA kinase, coded by the coaE

domain. May act as a point of CoA biosynthesis regulation.

**Cellular Location** Cytoplasm. Mitochondrion matrix. Note=The protein is mainly present in the

mitochondrial matrix, probably anchored to the inner mitochondrial


membrane, but is also present in cell lysate

**Tissue Location** Expressed in all tissues examined including brain, heart, skeletal muscle,

colon, thymus, spleen, kidney, liver, small intestine, placenta, lung and peripheral blood leukocyte. Lowest expression in peripheral blood leukocytes and highest in kidney and liver. Isoform 2 is expressed mainly in the brain

and nignest in kidney and liver. Isoform 2 is expressed mainly in the brain

# **Images**



Western blot analysis of COASY expression in HeLa cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.