10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PLCB1 Antibody

Rabbit mAb
Catalog # AP92858

Product Information

Application	WB, IHC
Primary Accession	Q9NQ66
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Other Names	1 phosphatidylinositol 4, 5 bisphosphate phosphodiesterase beta 1; 1-phosphatidylinositol 4; EIEE12; Inositoltrisphosphohydrolase; Monophosphatidylinositol phosphodiesterase; Phosphb; Phosphoinositidase C ; Phosphoinositide phospholipase C; Phosphoinositide phospholipase C-beta 1; Phospholipase C beta 1 (phosphoinositide-specific); Phospholipase C I; Phospholipase C-beta-1; Phospholipase C-I; PI PLC; PLC 1; PLC beta 1; PLC-154; PLC-beta-1; PLC-I; PLC154; Plcb; Plcb1; PLCbeta1; Triphosphoinositide phosphodiesterase;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	138567

Additional Information

Dilution	WB 1:500~1:2000 IHC 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human PLCB1
Description	The production of the second messenger molecules diacylglycerol (DAG) and inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific phospholipase C enzymes.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Protein Information

Name	PLCB1 (HGNC:15917)
Synonyms	KIAA0581
Function	Catalyzes the hydrolysis of 1-phosphatidylinositol 4,5- bisphosphate into diacylglycerol (DAG) and inositol 1,4,5-trisphosphate (IP3) and mediates intracellular signaling downstream of G protein- coupled receptors (PubMed:9188725). Regulates the function of the endothelial barrier.
Cellular Location	Nucleus membrane {ECO:0000250|UniProtKB:Q9Z1B3}. Cytoplasm {ECO:0000250|UniProtKB:P10687}. Note=Colocalizes with the adrenergic

receptors, ADREN1A and ADREN1B, at the nuclear membrane of cardiac myocytes. {ECO:0000250|UniProtKB:Q9Z1B3}

Images



Western blot analysis of PLCB1 expression in HepG2 cell lysate.