

NgR3 Antibody

Rabbit mAb

Catalog # AP92963

Product Information

Application	WB, IHC, IF, ICC, IHF
Primary Accession	Q86UN2
Reactivity	Human
Clonality	Monoclonal
Other Names	NgR3; NGRH2; NGRL2; RTN4RL1;
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	49065

Additional Information

Dilution	WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human NgR3
Description	May play a role in regulating axonal regeneration and plasticity in the adult central nervous system.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.


Protein Information

Name	RTN4RL1 (HGNC:21329)
Function	Cell surface receptor. Plays a functionally redundant role in postnatal brain development and in regulating axon regeneration in the adult central nervous system. Contributes to normal axon migration across the brain midline and normal formation of the corpus callosum. Protects motoneurons against apoptosis; protection against apoptosis is probably mediated by MAG. Plays a role in inhibiting neurite outgrowth and axon regeneration via its binding to neuronal chondroitin sulfate proteoglycans. Binds heparin (By similarity). Like other family members, plays a role in restricting the number dendritic spines and the number of synapses that are formed during brain development (PubMed: 22325200). Signaling mediates activation of Rho and downstream reorganization of the actin cytoskeleton (PubMed: 22325200).
Cellular Location	Cell membrane; Lipid-anchor, GPI-anchor. Membrane raft. Perikaryon {ECO:0000250 UniProtKB:Q80WD0}. Cell projection {ECO:0000250 UniProtKB:Q80WD0}. Note=Localized to the surface of neurons, including axons. {ECO:0000250 UniProtKB:Q80WD0}

Tissue Location

Predominantly expressed in brain. Expressed at lower levels in kidney, lung, mammary gland, placenta, salivary gland, skeletal muscle and spleen.

Images



Western blot analysis of NgR3 expression in K562 cell lysate.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.