

TGF beta 1 Antibody

Rabbit pAb Catalog # AP93213

Product Information

Application WB, IHC **Primary Accession** WB, IHC

Reactivity Rat, Human, Mouse

Clonality Polyclonal

Other Names CED; diaphyseal dysplasia 1, progressive; DPD1; TGF-beta 1; TGFB1;

IsotypeRabbit IgGHostRabbitCalculated MW44325

Additional Information

Dilution WB 1:500~1:2000

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human TGF beta 1

Description Multifunctional protein that controls proliferation, differentiation and other

functions in many cell types. Many cells synthesize TGFB1 and have specific receptors for it. It positively and negatively regulates many other growth factors. It plays an important role in bone remodeling as it is a potent stimulator of osteoblastic bone formation, causing chemotaxis, proliferation

and differentiation in committed osteoblasts.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term.

Avoid freeze / thaw cycle.

Protein Information

Name TGFB1 (HGNC:11766)

Synonyms TGFB

Function Transforming growth factor beta-1 proprotein: Precursor of the

Latency-associated peptide (LAP) and Transforming growth factor beta-1 (TGF-beta-1) chains, which constitute the regulatory and active subunit of

TGF-beta-1, respectively.

Cellular Location [Latency-associated peptide]: Secreted, extracellular space, extracellular

matrix

Tissue Location Highly expressed in bone (PubMed:11746498, PubMed:17827158).

Abundantly expressed in articular cartilage and chondrocytes and is increased in osteoarthritis (OA) (PubMed:11746498, PubMed:17827158). Colocalizes

Images

Image not found: 202311/AP93213-wb.jpg

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.