

PLIN5 Rabbit Polyclonal Antibody

PLIN5 Rabbit Polyclonal Antibody

Catalog # AP93514

Product Information

Application	WB
Primary Accession	Q00G26
Reactivity	Human, Mouse
Host	Polyclonal, Rabbit, IgG
Clonality	Polyclonal
Calculated MW	50791

Additional Information

Gene ID	440503
Other Names	Perilipin-5, Lipid storage droplet protein 5, PLIN5, LSDP5, OXPAT, PAT-1
Dilution	WB~~1:1000
Storage Conditions	-20°C

Protein Information

Name	PLIN5
Synonyms	LSDP5, OXPAT, PAT-1
Function	Lipid droplet-associated protein that maintains the balance between lipogenesis and lipolysis and also regulates fatty acid oxidation in oxidative tissues. Recruits mitochondria to the surface of lipid droplets and is involved in lipid droplet homeostasis by regulating both the storage of fatty acids in the form of triglycerides and the release of fatty acids for mitochondrial fatty acid oxidation. In lipid droplet triacylglycerol hydrolysis, plays a role as a scaffolding protein for three major key lipolytic players: ABHD5, PNPLA2 and LIPE. Reduces the triacylglycerol hydrolase activity of PNPLA2 by recruiting and sequestering PNPLA2 to lipid droplets. Phosphorylation by PKA enables lipolysis probably by promoting release of ABHD5 from the perilipin scaffold and by facilitating interaction of ABHD5 with PNPLA2. Also increases lipolysis through interaction with LIPE and upon PKA-mediated phosphorylation of LIPE (By similarity).
Cellular Location	Lipid droplet. Cytoplasm {ECO:0000250 UniProtKB:Q8BVZ1}. Mitochondrion {ECO:0000250 UniProtKB:M0R7Z9}. Note=Lipid droplet surface-associated Exchanges between lipid droplets and the cytoplasm {ECO:0000250 UniProtKB:Q8BVZ1}


Tissue Location

Expressed in skeletal muscle, liver, heart and kidney.

Background

Members of the perilipin family, such as PLIN5, coat intracellular lipid storage droplets and protect them from lipolytic degradation (Dalen et al., 2007 [PubMed 17234449]).[supplied by OMIM, Feb 2010],

Images



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4°over night

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.