

CD8B (12I8) Rabbit Monoclonal Antibody

CD8B (12I8) Rabbit Monoclonal Antibody

Catalog # AP93795

Product Information

Application	WB, FC, IP
Primary Accession	P10300
Reactivity	Mouse
Clonality	Monoclonal
Calculated MW	24288

Additional Information

Gene ID	12526
Other Names	T-cell surface glycoprotein CD8 beta chain, Lymphocyte antigen 3, T-cell membrane glycoprotein Ly-3, T-cell surface glycoprotein Lyt-3, CD8b, Cd8b, Cd8b1, Ly-3, Lyt-3, Lyt3
Dilution	WB~~1:1000 FC~~1:10~50 IP~~N/A
Storage Conditions	-20°C


Protein Information

Name	Cd8b
Synonyms	Cd8b1, Ly-3, Lyt-3, Lyt3
Function	Integral membrane glycoprotein that plays an essential role in the immune response and serves multiple functions in responses against both external and internal offenses. In T-cells, functions primarily as a coreceptor for MHC class I molecule:peptide complex. The antigens presented by class I peptides are derived from cytosolic proteins while class II derived from extracellular proteins. Interacts simultaneously with the T-cell receptor (TCR) and the MHC class I proteins presented by antigen presenting cells (APCs). In turn, recruits the Src kinase LCK to the vicinity of the TCR-CD3 complex. A palmitoylation site in the cytoplasmic tail of CD8B chain contributes to partitioning of CD8 into the plasma membrane lipid rafts where signaling proteins are enriched. Once LCK recruited, it initiates different intracellular signaling pathways by phosphorylating various substrates ultimately leading to lymphokine production, motility, adhesion and activation of cytotoxic T-lymphocytes (CTLs). Additionally, plays a critical role in thymic selection of CD8+ T- cells.
Cellular Location	Membrane {ECO:0000250 UniProtKB:P10966}; Single- pass type I membrane protein. Note=Requires the partner CD8A for efficient cell surface expression. The heterodimer CD8A/CD8B localizes to lipid rafts due to CD8B cytoplasmic

Background

Integral membrane glycoprotein that plays an essential role in the immune response and serves multiple functions in responses against both external and internal offenses

Images



Western blot analysis of extracts from Mouse thymus tissue using AP93795 at 1:1000.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.