10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

KBTBD4 Rabbit pAb

KBTBD4 Rabbit pAb
Catalog # AP94015

Product Information

Application	WB
Primary Accession	Q9NVX7
Reactivity	Human, Mouse
Predicted	Rat, Pig, Dog, Rabbit, Horse, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	59904
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human KBTBD4
Epitope Specificity	201-280/518
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	BTB-kelch蛋白家族参与细胞多种功能,包括转录调节、细胞骨架形成、离子通道、蛋白泛素化、血管形成及细胞凋亡等细胞生理活动.

Additional Information

Gene ID	55709
Other Names	Kelch repeat and BTB domain-containing protein 4, BTB and kelch domain-containing protein 4, KBTBD4, BKLHD4
Dilution	WB=1:500-2000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information


Name	KBTBD4
Synonyms	BKLHD4
Function	Substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin ligase complex which targets CoREST corepressor complex components RCOR1,

KDM1A/LSD1 and HDAC2 for proteasomal degradation (PubMed:33417871). RCOR1 is likely to be the primary target while degradation of KDM1A and HDAC2 is likely due to their association with RCOR1 (PubMed:33417871). Also targets RCOR3, MIER2 and MIER3 for proteasomal degradation as well as associated proteins ZNF217 and RREB1 (PubMed:36997086). Degradation is dependent on the presence of an ELM2 domain in the target proteins (PubMed:36997086).

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Sample:
U87MG(Human) Cell Lysate at 30 ug
HL60(Human) Cell Lysate at 30 ug
SY5Y(Human) Cell Lysate at 30 ug
Primary: Anti- KBTBD4 (AP94015) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 58 kD
Observed band size: 58 kD

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.