10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Pro-Alpha 1 type I collagen Rabbit pAb

Pro-Alpha 1 type I collagen Rabbit pAb
Catalog # AP94558

Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	P02452
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	138911

Additional Information

Gene ID	1277
Other Names	Collagen alpha-1(I) chain, Alpha-1 type I collagen, COL1A1
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


Protein Information

Name	COL1A1
Function	Type I collagen is a member of group I collagen (fibrillar forming collagen).
Cellular Location	Secreted, extracellular space, extracellular matrix {ECO:0000255|PROSITE-ProRule:PRU00793}
Tissue Location	Forms the fibrils of tendon, ligaments and bones. In bones the fibrils are mineralized with calcium hydroxyapatite


Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Sample: Lane 1: Placenta (Mouse) Lysate at 40 ug Lane 2: U-2OS (Human) Cell Lysate at 30 ug Primary: Anti-Collagen I (AP94558) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 130 kD Observed band size: 130 kD



Sample: Ovary (Mouse) Lysate at 40 ug NIH/3T3(Mouse) Cell Lysate at 40 ug Liver (Rat)Lysate at 40 ug 293T(huamn) Cell Lysate at 40 ug A431(huamn) Cell Lysate at 40 ug RAW264.7(Mouse) Cell Lysate at 40 ug Primary: Anti-Collagen I (AP94558) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 130 kD Observed band size: 110 kD

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.