

# Collagen I Rabbit pAb

Collagen I Rabbit pAb Catalog # AP94771

#### **Product Information**

ApplicationWB, EPrimary AccessionP02452ReactivityHumanHostRabbitClonalityPolyclonalCalculated MW138911

#### **Additional Information**

Gene ID 1277

Other Names Collagen alpha-1(I) chain, Alpha-1 type I collagen, COL1A1

**Dilution** WB=1:500-2000,ELISA=1:5000-10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

#### **Protein Information**

Name COL1A1

**Function** Type I collagen is a member of group I collagen (fibrillar forming collagen).

**Cellular Location** Secreted, extracellular space, extracellular matrix

{ECO:0000255 | PROSITE-ProRule:PRU00793}


**Tissue Location** Forms the fibrils of tendon, ligaments and bones. In bones the fibrils are

mineralized with calcium hydroxyapatite


## **Background**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

### **Images**



Sample: Blood plasma (Rat) at 40 ug Blood serum (Rat) at 40 ug Primary: Anti-Collagen I (AP94771) at 1/500 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 95 kD Observed band size: 125 kD



Sample: Lane 1: Placenta (Mouse) Lysate at 40 ug Lane 2: U-2OS (Human) Cell Lysate at 30 ug Primary: Anti-Collagen I (AP94771) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 130 kD Observed band size: 130 kD

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.