

Recombinant Anti-RAD23A Rabbit mAb

Catalog # AP95244

Product Information

Application	WB, FC
Primary Accession	P54725
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal
Calculated MW	39609

Additional Information

Gene ID	5886
Other Names	UV excision repair protein RAD23 homolog A; HR23A; hHR23A
Target/Specificity	KLH-conjugated synthetic peptide encompassing a sequence within human RAD23A protein. The exact sequence is proprietary.
Dilution	WB~~WB (1/500 - 1/1000) FC~~1:10~50
Format	Liquid in PBS, pH 7.3, 50% glycerol, 0.05% BSA, and 0.05% Proclin300.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information


Name	RAD23A (HGNC:9812)
Function	Multifunctional protein that participates in histone H4K20 demethylation, DNA repair, ubiquitin-dependent protein degradation, transcriptional regulation, and viral replication (PubMed: 12643283 , PubMed: 14621999 , PubMed: 15321727 , PubMed: 20614012 , PubMed: 32209475 , PubMed: 9372924). Specifically demethylates mono-, di- and trimethylated 'Lys-20' of histone H4 (H4K20me1, H4K20me2, H4K20me3, respectively) into unmethylated forms. Activates the transcription of coding genes by demethylating H4K20me1 and the transcription of repetitive elements by demethylating H4K20me3 (PubMed: 32209475). Involved in modulation of proteasomal degradation. Binds to 'Lys-48'-linked polyubiquitin chains in a length-dependent manner and with a lower affinity to 'Lys-63'- linked polyubiquitin chains. Proposed to be capable to bind simultaneously to the 26S proteasome and to polyubiquitinated substrates and to deliver ubiquitinated proteins to the proteasome (PubMed: 12643283 , PubMed: 14621999 , PubMed: 15321727). Involved in nucleotide excision repair, is considered functionally equivalent to RAD23B in global genome nucleotide excision repair (GG-NER) through its association with XPC. In vitro,

the XPC-RAD23A complex demonstrates NER activity (PubMed:[9372924](#)). Can stabilize XPC (By similarity).

Cellular Location

Nucleus.

Images



Western blot analysis of RAD23A expression in MCF7 (A) whole cell lysates. (Predicted band size: 40 kD; Observed band size: 55 kD)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.