

Recombinant Anti-BCL2L15 Rabbit mAb

Catalog # AP95318

Product Information

Application	WB, IHC, FC, IF/IC
Primary Accession	Q5TBC7
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal
Calculated MW	17725

Additional Information


Gene ID	440603
Other Names	C1orf178; Bcl-2-like protein 15; Bcl2-L-15
Target/Specificity	KLH-conjugated synthetic peptide encompassing a sequence within human BCL2L15 protein. The exact sequence is proprietary.
Dilution	WB~~WB (1/500 - 1/1000) IHC~~1:100~500 FC~~1:10~50 IF/IC~~N/A
Format	Liquid in PBS, pH 7.3, 50% glycerol, 0.05% BSA, and 0.05% Proclin300.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	BCL2L15
Synonyms	C1orf178

Images

Western blot analysis of BCL2L15 expression in mouse skin (A) whole cell lysates. (Predicted band size: 18 kD; Observed band size: 18 kD)



Immunofluorescent analysis of BCL2L15 staining in HEK293 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with an AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark. Phalloidin - AF594 was used to stain Actin filaments (red). DAPI was used to stain the cell nuclei (blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.